

Elgiloy Specialty Metals Alloy Surcharges

Surcharges will apply for *Orders Shipped* between: March 01, 2025 Through March 31, 2025

AISI GRADE	Jan-25	Feb-25	Mar-25	Apr-25	May-25	Jun-25	Jul-25	Aug-25	Sep-25	Oct-25	Nov-25	Dec-25
200 Series	Va.: 20		20	7 (p. 20	may 20	0 0 11 20		71119 20	00p 20	00.20	1101 20	200 20
201 4.0% Ni	\$0.7646	\$0.7381	\$0.7591									
201 4.3% Ni	\$0.7895	\$0.7616	\$0.7825									
301 Series	ψ0.7000	ψ0.7010	ψ0.7020									
301 6.0% Ni	\$0.8927	\$0.8681	\$0.8876									
301SI 6.4% Ni	\$0.9547	\$0.9274	\$0.9464									
301 7.0% Ni	\$0.9854	\$0.9572	\$0.9762									
304 Stainless Grades	*											
304/304L	\$1.0781	\$1.0466	\$1.0646									
304/304L 8.5%	\$1.1165	\$1.0840	\$1.1020									
304/304L 9.0%	\$1.1550	\$1.1213	\$1.1392									
304/304L 9.5%	\$1.1935	\$1.1587	\$1.1762									
305 Stainless												
305 12% Ni	\$1.3936	\$1.3528	\$1.3693									
309 & 310 Stainless												
309/309S	\$1.4929	\$1.4477	\$1.4633									
310/310S	\$2.0628	\$2.0000	\$2.0123									
316 and Specialty Stainless												
316/316L	\$1.7299	\$1.6841	\$1.6886									
316 Ti	\$1.7761	\$1.7284	\$1.7327									
321	\$1.1388	\$1.1064	\$1.1244									
347	\$1.6580	\$1.6231	\$1.6408									
400 Series Grades												
409	\$0.3840	\$0.3778	\$0.4012									
410s	\$0.4037	\$0.3985	\$0.4218									
430	\$0.4314	\$0.4194	\$0.4415									
434	\$0.6301	\$0.6133	\$0.6302									
436s	\$0.6458	\$0.6275	\$0.6442									
439	\$0.4469	\$0.4334	\$0.4549									
441	\$0.7110	\$0.6968	\$0.7182									
444	\$1.0778	\$1.0524	\$1.0622									
Miscellaneous Grades												
17-7 PH	\$1.0187	\$0.9889	\$1.0081									
2205	\$1.7802	\$1.7264	\$1.7250									
A286	\$2.6922	\$2.8171	\$2.9620									
Alloy 625	\$10.1405	\$10.4615	\$10.6560									
Alloy 718	\$8.7098	\$8.9670	\$9.3071									
904L	\$4.1030	\$4.2541	\$4.1462									

ALL TOTALS ARE \$/LB AND ROUNDED TO 4 DECIMAL PLACES

Grades with specified minimum nickel, molybdenum, chrome, or other alloy contents different than the AISI standards will be calculated based on the minimum specified.